



EXPOSICIÓN DE NUESTROS CASOS



H-SIL Vagina



H-SIL Vulva



H-SIL Vulvar



H-SIL Vulva



H-SIL Vulvar



Condilomas



Condilomas



Condilomas



Condilomas



CONCLUSIONES

El láser CO2...

- Es un tratamiento **efectivo** para las lesiones de alto grado y condilomas vulvovaginales con escasos efectos adversos.
- Permite **conservar** la anatomía y funcionalidad de la vulva y vagina.
- Intervención **breve** con una recuperación rápida que no requiere ingreso.
- Los **resultados** son visibles con una sola sesión.



Nuestros resultados...

- El láser CO2 es una técnica afianzada en nuestro servicio.
- En nuestra serie no hemos tenido ninguna complicación mayor.
- El 80% de las pacientes no presentan lesiones actualmente, lo que supone una alta tasa de curación.
- Nuestra tasa de recurrencia es muy similar a las descrita en la literatura.



BIBLIOGRAFÍA

- AEPCG-Guía: Neoplasia vaginal intraepitelial (VaIN). Publicaciones AEPCG, noviembre 2015.
- Wee WW, Diagnosis and treatment of vaginal intraepitelial neoplasia. Int J Gynaecol Obstet 2012; 117:15-7
- Massad LS. Outcome after diagnosis of vaginal intraepitelial neoplasia J Low Genit Tract Dis 2008; 12:16-9
- Leminen A, Forss M, Lehtovirta P. Therapeutic and prognostic considerations in primary carcinoma of the vagina. Acta Obstet Gynecol Scand 1995;74:379–83.
- Shafi M and Nazeer S: Vaginal abnormalities. Inc: Colposcopy A practical Guide. Cambridge University Press, 2012 pp. 57-60
- Dodge JA, Eltabbakh GH, Mount SL, Walker RP, Morgan A . Clinical features and risk of recurrence among patients with vaginal intraepithelial neoplasia. Gynecol Oncol. 2001 Nov;83(2):363-9.
- Piovano E Macchi C. Attamante L et all. CO2 láser vaporization for the treatment of vaginal intraepithelial neoplasia: effectiveness and predictive factors for recurrence. Eur J Gynaecol Oncol 2015;36(4) 383-8
- Piscitelli JT., Bastina LA., Wilkes A ., and Simel DL:Cytologic screening after hysterectomy for benign disease. Am J Obstet Gynecol 1995; 173: 424-432.
- Kristen P Zeligs, Kevin B, Christopher M., et al. A Clinicopathologic Study of Vaginal Intraepithelial Neoplasia. Am J Obstet Gynecol 2013, 122(6); 1223-30

- Von Gruenigen VE, Gibbons HE, Gibbins K, Jenison EL, Hopkins MP,. Surgical treatments for vulvar and vaginal dysplasia: a randomized controlled trial. *Obstet Gynecol* 2007; 109:942-7
- Perrotta M, Marchitelli CE, Velazco AF, Tauscher P, Lopez G, Peremateu MS. Use of CO2 laser vaporization for the treatment of high-grade vaginal intraepithelial neoplasia. *J Low Genit Tract Dis*. 2013 Jan;17(1):23-7.
- Yalcin OT, Rutherford TJ, Chambers SK, Chambers JT, Schwartz PE. Vaginal intraepithelial neoplasia: treatment by carbon dioxide laser and risk factors for failure. *Eur J Obstet Gynecol Reprod Biol* 2003;106:64–8.
- Spitzer M. Lower genital tract intraepithelial neoplasia in HIV- infected women guidelinesfor evaluation and management. *Obstet Gynecol Surv* 1999;54: 131
- Massad L S., Xianhong X., Greemblatt RM et all. Effect of Human Immunodeficiency Virus Infectionon the Prevalence and Incidence of Vaginal Intraepitelial. 2012;112(3):582-589
- Patel H, Wagner M, Singhal P, Kothari S. Systematic review of the incidence and prevalence of genital warts. *BMC Infect Dis*. 2013 Jan 25;13(1):39.
- Winer RL, Lee SK, Hughes JP, Adam DE, Kiviat NB, Koutsky LA. Genital human papillomavirus infection: incidence and risk factors in a cohort of female university students. *Am J Epidemiol* 2003;157(3):218-226.
- Workowski KA, Bolan GA; Centers for Disease Control and Prevention. Sexually Transmitted Diseases Treatment Guidelines, 2015. *MMWR Recomm Rep*. 2015 Jun 5;64(RR-03):1-137.
- Cubie HA. Diseases associated with human papillomavirus infection. *Virology* 2013; 445: 21–34.

- Gunter J. Genital and perianal warts: New treatment opportunities for human papillomavirus infection. *Am. J. Obstet. Gynecol.* 2003;189:3-11.
- United Kingdom National Guideline on the Management of Anogenital Warts, 2015. Clinical Effectiveness Group (British Association for Sexual Health and HIV).
- Condilomas acuminados | AEPCC.
- Neoplasia intraepitelial vulvar | AEPCC.
- Comino R. Infección por Papilomavirus en Ginecología. Delgado RC, editor. Madrid 1995.
- Van Seters M, Beckmann I, Heijmans-Antonissen C, Van Beurden M, Ewing PC, Sijlstra FJ, et al. Disturbed patterns of immunocompetent cells in usual-type vulvar intraepithelial neoplasia. *Cancer Res.* 2008 Aug 15;68(16):6617-22
- Joura EA, Lösch A, Haider-Angeler MG, Breitenecker G, Leodolter S. Trends in vulvar neoplasia. Increasing incidence of vulvar intraepithelial neoplasia and squamous cell carcinoma of the vulva in young women. *J reprod Med.* 2000 Aug;45(8):6113-5
- Massad LS, Xie X, Darragh T, Minkoff H, Levine AM, Watts DH, et al. Women's interagency HIV Study Collaborative Study Group. Genital warts and vulvar intraepithelial neoplasia: natural history and effects of treatment and human immunodeficiency virus infection. *Obstet Gynecol.* 2011 Oct;118(4):831-9
- ACOG. Management of vulvar intraepithelial neoplasia. Committee Opinion N°509. American College of Obstetricians and Gynecologists. *Obstet Gynecol* 2011; 118:1192-4
- Regauer S. Etiology of vulvar cancer will impact on treatment options and therapy outcome: two major pathways of vulvar cancer. *Gynecol Oncol* 2013;131:246-270.

iGracias!

